

INDEX MAPS.

T. 4 N. R. 7 E. 2nd Mer.

	414		414		414		414		413		413	
			415		415		415		415		416	
418	6	437	5	440	4	440	3	440	2	439	1	413
	437		438		438		438		439		435	
417	7	436	8	436	9	436	10	435	11	435	12	413
	433		433		433		434		434		431	
417	18	432	17	432	16	431	15	431	14	430	13	412
	428		428		429		429		430		430	
417	19	428	20	427	21	427	22	427	23	426	24	412
	424		424		425		425		425		426	
416	30	424	29	422	28	421	27	420	26	419	25	411
	423		423		422		421		420		419	
416	31	423	32	422	33	420	34	419	35	418	36	411
	409		409		409		410		410		410	

T. 5 N. R. 7 E. 2nd Mer.

	449		448		448		448		448		448	
			449		449		450		450		450	
451	6	472	5	466	4	463	3	459	2	455	1	447
	471		471		466		462		459		455	
451	7	471	8	466	9	462	10	458	11	454	12	447
	470		470		465		461		458		454	
451	18	470	17	465	16	461	15	457	14	454	13	446
	469		469		465		461		457		453	
451	19	469	20	464	21	460	22	457	23	453	24	446
	468		468		464		460		456		453	
450	30	468	29	464	28	460	27	456	26	452	25	446
	467		467		463		459		456		452	
450	31	467	32	463	33	459	34	455	35	452	36	445
	444		444		443		443		443		443	
			444		444		445		445		445	

The figures on the lines refer to the page.

Township N. 4 North, Range N. 7 E. 2. Mer. Indiana 409

South Boundary var. 5.50. E.

East On S. boundary of Sec. 31
40.00 Set of. Sec. post, from which
a W. Oak 12 in. dia. bears S 24 W 13 lks. dist. 4
a Beech 14 " " " N 14 E 27 " "
61.40 a Beech 15 " "
67.00 a Brook 3 lks. wide Course N.
80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 16 in. dia. bears S 85 E 4 lks. dist. 4
a Do. 18 " " " S 5 W 14 " "
Level rich land timber Beech Poplar &c.

East On S. boundary of Sec. 32.
21.00 a Brook 3 lks. wide Course S.
31.70 a W. Oak 24 in. dia.
34.00 a Brook 3 lks. wide Course S
40.00 Set of. Sec. post, from which
a Sugar 12 in. dia. bears S 26 W 19 lks. dist. 4
a Beech 18 " " " N 67 E 21 " "
44.00 a Brook 6 lks. wide Course S. W.
60.50 a Hickory 18 in. dia.
80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 30 in. dia. bears S 23 W 6 lks. dist. 4
a Gum 6 " " " N 19 E 30 " "
Level rich land timber Beech Sugar Ash &c.

East On S. boundary of Sec. 33.
40.00 Set of. Sec. post, from which
a Beech 16 in. dia. bears N 3 W 18 lks. dist. 4
a Do. 10 " " " S 17 W 41 " "
49.60 a Do. 38 " "
50.00 a Brook 3 lks. wide Course S.
70.60 a Beech 12 in. dia.
75.00 a Brook 3 lks. wide Cours S.
80.00 Set post Cor. to Sec. 33 & 34, from which
a Beech 30 in. dia. bears S 23 W 38 lks. dist. 4

T. N. R. E. 2nd Mer. Indiana

Ch. Lk.

a Beech 16 in. dia. bears N 52 E 59 lks. dist.
Over rich level land timber Beech, Ash, Sugar, Oak &c.

East On S. boundary of Sec. 34

2.00 a Brook 3 lks. wide Course S. W.

11.00 a Beech 13 in. dia.

30.00 a Brook 3 lks. wide Course S. E.

32.60 a Beech 10 in. dia.

36.50 a Brook 3 lks. wide Course S.

40.00 Set q. Sec. post, from which
an Ash 18 in. dia. bears S 38 W 10 lks. dist. &
a Beech 20 " " " N 42 E 34 " "

46.00 a Brook 5 lks. wide Course S.

62.00 a No. 5 " " " S.

80.00 Set post Cor. to Sec. 34 & 35, from which
a Beech 15 in. dia. bears East 24 lks. dist. &
a No. 12 " " " N 42 W 47 " "
this Corner stands in a Brook 15 lks. wide Course
Running S. W. rich level land timber with Ash
Beech Sugar &c.

East On S. boundary of Sec. 35.

6.00 a Beech 16 in. dia.

30.00 a Gun 18 " "

40.00 Set q. Sec. post, from which
a Beech 30 in. dia. bears N 62 W 24 lks. dist. &
a Sugar 14 " " " S 47 W 41 " "

55.50 a Beech 24 " "

78.50 a Brook 6 lks. wide Course S.

80.00 Set post Cor. to Sec. 35 & 36, from which
a Hickory 8 in. dia. bears N 27 E 15 lks. dist. &
a Beech 10 " " " S 47 W 32 " "
Level rich land timber Oak, Beech, Poplar &c.

East On S. boundary of Sec. 36.

20.00 A. Brook 6 lks. wide Course S. W.

T4N-R7E. 2.nd Mer. Indiana 411

ch. P. lks

- 40.00 Set q. Sec. post, from which
 a Hickory 12 in. dia. bears S 24 E 34 lks. dist. 4
 a Beech 12 " " " N 14 E 50 " "
 75.00 a Brook 3 lks. wide Course S.
 80.00 Set post Cor to Townships 34 North, Ranges 7 & 8
 East, from which
 a Hickory 14 in. dia. bears S 82 W 15 lks. dist. 4
 a B. Oak 24 " " " S 68 E 30 " "
 Level rich Oak land - August 23rd 1806.

East Boundary var. 5° 50' E

North On E. boundary of Sec. 36

- 20.78 a Beech 14 in. dia.
 25.00 a Brook 3 lks. wide Course S. W.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bears N 33 E 39 lks. dist. 4
 a Gum 24 " " " S 11 E 39 " "
 51.60 a Beech 15 " "
 53.00 a Brook 10 lks. wide Course N. W.
 73.70 a Hickory 20 in. dia.
 80.00 Set post Cor. to Secs. 25 & 36, from which
 an Ash 12 in. dia. bears S 46 W 11 lks. dist. 4
 an Elm 18 " " " N 46 E 13 " "
 Generally level rich land timber Oak Ash Beech &c.

North On E. boundary of Sec. 25.

- 10.00 a Brook 3 lks. wide Course N. W.
 23.00 a Do. 20 " " " N. W.
 40.00 Set q. Sec. post, from which
 a Beech 30 in. dia. bears S 55 E 4 lks. dist. 4
 a Do. 15 " " " N 53 W 49 " "
 44.50 a Brook 3 lks. wide Course S. W.
 55.38 a Beech 24 in. dia.
 80.00 Set post Cor. to Secs. 24 & 25, from which
 a Poplar 36 in. dia. bears S 19 E 17 lks. dist. 4
 a Sugar 10 " " " N 34 E 42 " "

412 S. N. R. E. 2nd Mer. Ind. a
ch. l. l. l.

Generally good rich Oak, Land

North On E. boundary of Sec. 24.

25.70 a Beech 18 in. dia.

30.00 a Brook 20 lbs. wide Course W.

40.00 Set of Sec. post, from which
a Beech 8 in. dia. bears S 70 E 12 lbs. dist. 4
a No. 30 " " " S 86 W 20 " "

47.00 a Brook 3 lbs. wide Course W.

67.00 a No. 15 " " " W.

80.00 Set post Cor to Sec. 13 & 24, from which
a Beech 18 in. dia. bears N 40 E 26 lbs. dist. 4
a No. 20 " " " S 88 W 17 " "

Pidgey rich land timber Oak Sugar Beech Poplar. &c.

North On E. boundary of Sec. 13.

7.89 a Sugar 18 in. dia.

12.00 a Brook 15 lbs. wide Course W.

33.00 a Beech 15 in. dia.

40.00 Set of Sec. post, from which
a Beech 3 in. dia. bears S 11 E 20 lbs. dist. 4
an Elm 18 " " " N 11 W 31 " "

56.70 a W. Oak 40 " "

80.00 Set post Cor to Sec. 12 & 13, from which
a Beech 24 in. dia. bears N 6 W 50 lbs. dist. 4
a No. 18 " " " S 66 W 40 " "

Generally good land timber Sugar, Beech, Oak, &c.

North On E. boundary of Sec. 12.

4.17 an Ash 24 in. dia.

18.00 a Brook 12 lbs. wide Course N. W.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bears N 11 W 37 lbs. dist. 4
a No. 16 " " " S 71 E 27 " "

52.00 a Brook 3 lbs. wide Course W

58.80 a Beech 14 in. dia.

413

Twp. R7 E. 2nd Mer. Ind.

Ch. M.

73. 00 a Brook 4 lks. wide Course W.
 80. 00 Set post Cor. to Sect. 1 & 12, from which
 a Beech 20 in. dia. bears N 63 E 6 lks. dist. &
 an Elm 12 " " " N 39 W 36 " "
 Rich low land timber Beech Elm Oak Sugar &c.

- North On E. boundary of Sec. 1.
 30. 00 an Ash 24 in. dia.
 32. 50 a River 2.20 lks. wide Course West
 40. 00 Set q. Sec. post, from which
 an Elm 16 in. dia. bears S 58 E 29 lks. dist. &
 a Sugar 12 " " " N 27 W 27 " "
 63. 50 a Creek 1.00 lks. wide Course W
 80. 00 Set post Cor. to Townships 4 & 5. North Ranges
 7 & 8 East, from which
 a Beech 14 in. dia. bears S 57 W 14 lks. dist. &
 a Do. 14 " " " N 24 E 28 " "
 Between the Creeks 1st rate land N. of the ^{last} Creek
 the bottoms overflows timber beech Oak Ash Sugar &c.

- North Boundary. Aug. 24th 1806
- West On Rand^m. S. boundary of Sec. 36, T. 5 N. R. 7 E
 3. 00 a Brook 3 lks. wide Course S.
 15. 00 a Spring — " " " S.
 20. 00 a Do. — " " " S.
 33. 00 a Brook 3 " " " S. W
 40. 00 Set temp. q. Sec. post
 41. 50 a Brook 20 lks. wide Course S.
 55. 00 a Do. 3 " " " S.
 80. 00 Set temp. Cor. to Sect. 35 & 36, T. 5 N. R. 7 E.
 Good land & good water, timber Oak, Beech &c.

- West On Rand^m. S. boundary of Sec. 35, T. 5 N. R. 7 E.
 15. 00 A River 2.50 lks. wide Course N. W.
 40. 00 Set temp. q. Sec. post
 45. 00 part of the river running N.

T. N. R. & E. 2^d Mer. Ind^a

ch. lth.

- 68.50 a River 3.00 lth. wide Course S. W.
 80.00 Set tempy. Cor. to Sect. 34 & 35, T. 5 N. R. 7 E.
 This mile passes over rich bottom land Over flows
 in time of high water

- West On Random S. boundary of Sect. 34, T. 5 N. R. 7 E.
 20.00 a River — lth. wide Course North
 40.00 Set tempy. q. Sec. post
 45.00 Come to the river and kept down it.
 55.00 leave the river running S. W.
 81.00 Set tempy. Cor. to Sect. 33 & 34, T. 5 N. R. 7 E.
 Over flowed bottom

- West On Random S. boundary of Sect. 33, T. 5 N. R. 7 E.
 40.00 Set tempy. q. Sec. post
 52.00 a Brook 3 lth. wide Course S.
 76.00 a Do 3 " " " S.
 80.00 Set tempy. Cor. to Sect 32 & 33, T. 5 N. R. 7 E.
 Broken with quite timber Beech Elm &c.

- West On Random S. boundary of Sect. 32, T. 5 N. R. 7 E.
 17.00 a Brook 3 lth. wide Course S.
 40.00 Set tempy. q. Sec. post.
 80.00 Set tempy. Cor. to Sect. 31 & 32, T. 5 N. R. 7 E.
 A wet Beech flat

- West On Random S. boundary of Sect. 31, T. 5 N. R. 7 E.
 25.00 a Brook 10 lth. wide Course S. W.
 34.00 a Do. 8 " " " S.
 40.00 Set Tempy. q. Sec. post
 80.00 Intersected the Range line 1.00 lth. N. of the
 Corner to Township 4 & 5 N. Ranges 6 & 7 E.
 Over Pretty good beech land

Variation 5° 50' E

East On true line S. boundary of Sect. 31, T. 5 N. R. 7 E.

Let R7 E. 2^d Mer. Ind. 415

Ch. Lkn.

- 40.00 Set q^r. Sec. post, from which
an Ash 12 in. diam. bear S70 E 31 lkn. dist. of
an Elm 8 " " " N60 W 39 " "
- 80.00 Set post Cor. to Sec. 31 & 32, T5 N. R7 E, from which
a Poplar 15 in. diam. bear N35 W 17 lkn. dist. of
a Beech 30 " " " S48 E 24 " "

East On true line S. boundary of Sec. 32, T5 N. R7 E.

- 40.00 Set q^r. Sec. post, from which
a Beech 18 in. diam. bear N24 W 20 lkn. dist. of
a Poplar 40 " " " S30 E 27 " "
- 80.00 Set post Cor. to Sec. 32 & 33, T5 N. R7 E, from which
a Beech 12 in. diam. bear N43 W 10 lkn. dist. of
a Do. 18 " " " S22 E 21 " "

East On true line S. boundary of Sec 33, T5 N. R7 E.

- 40.00 Set q^r. Sec. post, from which
a Beech 36 in. diam. bear S79 W 22 lkn. dist. of
a Do. 14 " " " N62 E 26
- 80.00 Set post Cor. to Sec. 33 & 34, T5 N. R7 E, from which
an Ash 14 in. diam. bear N16 W 25 lkn. dist. of
an Elm 8 " " " N81 E 45 " "

East On true line S. boundary of Sec. 34, T5 N. R7 E.

- 40.00 Set q^r. Sec. post, from which
a Poplar 50 in. diam. bear S25 E 12 lkn. dist. of
a Sugar 24 " " " N28 E 21 " "
- 80.00 Set post Cor. to Sec. 34 & 35, T5 N. R7 E, from which
a Hickory 9 in. diam. bear S43 W 18 lkn. dist. of
a Sugar 10 " " " N57 E 34 " "

East On true line S. boundary of Sec. 35, T5 N. R7 E.

- 40.00 Set q^r. Sec. post, from which
a Sugar 12 in. diam. bear N23 W 19 lkn. dist. of
a Beech 12 " " " S27 E 26 " "
- 80.00 Set post Cor. to Sec. 35 & 36, T5 N. R7 E, from which

T4 N R7 E. 2^d Mer. Ind.^ach. 1st 1/2

a Sugar 10 in. diam. bear N24E10 lks. dist. of
a Beech 24 " " " S33W20 " "

East On timberline S. boundary of Sec. 36, T5 N R7 E.
40.00 Set of Sec. post, from which
a Beech 40 in. diam. bear N60W13 lks. dist. of
a Do. 30 " " " S75E32 " "
80.00 to Township Corner.

West Boundary. var. 5.50 E.
North On E. boundary of Sec. 36, T4 N R6 E.
10.00 a Brook 15 lks. wide Course W.
13.00 a Gum 30 in. diam.
40.00 Set of Sec. post, from which
a Beech 20 in. diam. bear N57W25 lks. dist. of
a W. Oak 6 " " " S40E12 " "
62.00 a Brook 3 lks. wide Course S. E.
76.00 a W. Oak 40 in. diam.
80.00 Set post Cor. to Sec. 25 of 36, T4 N R6 E, from which
a Gum 24 in. diam. bear N70E26 lks. dist. of
a Beech 24 " " " S73W32 " "
First 1/2 mile good level land - last 1/2 flat rich
timber Sugar, Beech, Elm &c.

North On E. boundary of Sec. 25, T4 N R6 E.
20.00 a Brook 3 lks. wide Course S. W.
37.25 a W. Oak 12 in. diam.
40.00 Set of Sec. post, from which
a Gum 24 in. diam. bear S82W25 lks. dist. of
a Beech 18 " " " N49E37 " "
51.00 a Brook 4 lks. wide Course W.
79.20 a Poplar 45 in. diam.
80.00 ~~Set post Cor. to Sec. 24 of 25, T4 N R6 E, from which~~
a Hickory 15 in. diam. bear S45E20 lks. dist. of
a Beech 16 " " " N18E48 " "
Level rich land timber Poplar, Ash, Oak &c.

417

T4N R7E. 2^d. Mer. Indiana

ch. P. M.
 North On E. boundary of Sec. 24, T4N. R6E.
 15.00 a Brook 3 lks. wide Course W.
 28.00 a Beech 14 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 12 in. diam. bray N22W 17 lks. dist. of
 a Do. 12 " " " S80E 27 " "
 45.00 a Brook 3 lks. wide Course W.
 60.00 a R. Oak 36 in. diam.
 61.00 enter a Swamp
 80.00 Set post in Swamp Cor. to Sec. 13 & 24, T4N.
 R6E east, from which
 a Gum 8 in. diam. bray S64E 19 lks. dist. of
 a Maple 10 " " " S56W 13 " "
 Level Beech land part Swamp

North On E. boundary of Sec. 13, T4N. R6E.
 39.00 a Poplar 36 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 12 in. diam. bray N24W 7 lks. dist. of
 an Elm 14 " " " S63E 11 " "
 72.00 a Creek 10 lks. wide Course S.W.
 80.00 Set post Cor. to Sec. 12 & 13, T4N. R6E, from which
 a Beech 12 in. diam. bray N87E 19 lks. dist. of
 an Ironwood 6 " " " N78W 23 " "
 This line passes over pretty good bottom, cut
 to pieces with many cuts. Aug. 22^d. 1806

North On E. boundary of Sec. 12, T4N. R6E.
 11.50 a Brook 10 lks. wide Course W.
 28.50 a Poplar 16 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Gum 12 in. diam. bray S80E 6 lks. dist. of
 a W. Oak 18 " " " N60W 14 " "
 58.00 to South side of a pond
 64.00 to North side of do
 69.50 to Main branch of White River 300 lks. wide S.W.

T4 N R7 E. 2^d. Mer. Indiana

ch. lks

80.00 Let post Cor. to Sec. 1 & 12, T4 N. R6 E, from which
 a Beech 14 in. diam. bear N43 E 17 lks. dist. &
 a do. 12 " " " S30 W 15 "
 Over wet bottom land, timber Beech, Elm &c.

North On E. boundary of Sec. 1, T4 N. R6 E

10.00 a Brook 3 lks. wide Course E.

32.00 a W. Oak 36 in. diam.

40.00 Let q^r. Sec. post, from which
 a Beech 20 in. diam. bear S75 E 14 lks. dist. &
 a do. 18 " " " S74 W 15 " "

43.00 a Brook 3 lks. wide Course E.

44.40 a Poplar 50 in. diam.

54.75 a do 50 " "

80.00 Let post Cor. to Township 4 & 5 North, of
 Range 6 & 7 East, from which
 a Beech 16 in. diam. bear S18 W 45 lks. dist. &
 a do. 14 " " " N63 E 31 " "
 Level land timbered with Beech & Poplar

Surveyed by

Alexander Holmes

Deputy Surveyor

Subdivision. Jan. 28th 1807

North Between Sec. 35 & 36

38.20 a W. Oak 36 in. diam. in the line

40.00 Let q^r. Sec. post, from which
 a Beech 12 in. diam. bear S5 E 19 lks. dist. &
 a W. Oak 40 " " " N3 E 60 " "
 Over level 2^d. rate land Beech, Oak & Poplar

72.77 a Poplar 15 in. diam. in the line

80.00 Let post Cor. to Sec. 25, 26, 35 & 36, from which
 a W. Oak 24 in. diam. bear East 17 lks. dist. &
 a Poplar 12 " " " N77 W 3 " "
 Over level 2^d. rate land, timber Beech, Oak
 & Poplar, undergth. briars.

419

T^h N R⁷ E, 2^d. Mer. Indiana

ch. l. lhr.

East On Rand^m. between Sec^s. 25 & 36

40.00 Set temp^y. gr. Sec. post

Over rolling 3^d. rate land, timber Beech, Oak
Poplar &c. underg^d. Greenbrier

40.50 a Stream 8 lhr. wide Course N.

65.50 a Brook 20 " " " N.

80.85 intersected E. boundary 5 lhr. N. of post
Over rolling 3^d. rate land, timber &c. same as
on the 1st 1/2 mile

West On true line between Sec^s. 25 & 36

40.42 1/2 Set gr. Sec. post at average dist. from which
a Beech 15 in. diam. bear N 34 W 31 lhr. dist. &
a W. Oak 12 " " " S 41 W 36 " "

80.85 to Sec. Corner.

North Between Sec^s. 25 & 26

27.60 a Stream 10 lhr. wide Course N 30 W

29.40 a Beech 15 in. diam. in the line

40.00 Set gr. Sec. post, from which

a W. Oak 10 in. diam. bear N 34 W 26 lhr. dist. &
a Beech 15 " " " S 17 E 17 " "

Over rolling 3^d. rate land Beech, Oak & Poplar

74.10 a Hickory 18 in. diam. in the line

80.00 Set post Cor. to Sec^s. 23, 24, 25 & 26, from which
a Hickory 20 in. diam. bear S 37 W 40 lhr. dist. &
an Elm 10 " " " N 41 W 19 " "

Level 3^d. rate land, timber Beech, Oak, hick^y.
Hem & Poplar, thick undg^d. brush & Greenbrier

North Between Sec^s. 34 & 35

21.75 a Stream 6 lhr. wide Course S. E.

22.00 a Beech 15 in. diam. in the line

40.00 Set gr. Sec. post, from which

a Beech 15 in. diam. bear N 15 W 18 lhr. dist. &

a Dog 8 " " " S 35 E 35 " "

420

L. N. R. & E. D. Mer. Indiana

Ch. M.

Over rolling 2^d. rate land, beech, oak & poplar
 69.40 a Beech 20 in. diam. in the line
 80.00 Set post cor. to Sec. 26, 27, 34 & 35, from which
 a Gum 15 in. diam. bears S 26 E 19 lbs. dist. &
 an Ash 12 " " " N 86 W 25 "
 Over rolling 2^d. rate timber, timber Beech
 Oak, Hickory and Poplar

East On Randm. between Sec. 26 & 35

40.00 Set temp. q. Sec. post. Over level 2^d. rate land the
 timber Beech Ash poplar—
 79.75 Intersected the N. & S. line 40 lbs. N. of post. Over level
 3^d. rate land timber Beech Oak thick undergrowth of brush.

West Corrected between Sec. 26 & 35

37.82 Set q. Sec. post. at average dist. from which
 a Maple 18 in. dia. bears North 3 lbs. dist. &
 a Do. 6 " " " S 37 W 19 "
 79.75 to Section Corner

North Between Sec. 26 & 27.

13.50 a Brook 8 lbs. wide Course W.
 21.15 a W. Oak 36 in. dia. in the line
 40.00 Set q. Sec. post, from which
 a Gum 8 in. dia. bears S 57 W 57 lbs. dist. &
 an Elm 12 " " " N 44 E 9 "
 Over level 2^d. rate land, timber Beech Oak and Poplar
 72.25 a B. Gum 20 in. dia. in the line
 80.00 Set post cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 10 in. dia. bears N 1 W 38 lbs. dist. &
 a W. Oak 18 " " " S 7 W 25 "
 Over level 2^d. rate land timber Oak and Poplar
 Jan. 28th 1807

North Between Sec. 33 & 34.

20.90 a Beech 12 in. dia. in the line

421

T^h N R⁷ E. 2.^d Mer. Indiana

ch^d. l^h.

- 40.00 Set q^r. Sec. post, from which
a Beech 5 in. dia^r. bears N 27 E 12 l^hs. dist. &
a Do. 7 " " " S 37 W 14 " "
Over level 2.^d rate land timber Beech Oak and Poplar
- 69.50 a Brook 20 l^hs. wide Course W.
- 74.72 a Beech 15 in. dia^r. in the line
- 80.00 Set post Cor to Sec^s. 27, 28, 33 & 34, from which
an Ash 20 in. dia^r. bears N 69 W 27 l^hs. dist. &
a Sugar 6 " " " S 21 E 6 " "
Over level 2.^d rate land timber Beech Oak Poplar-

- East On Random between Sec^s. 27 & 34
- 5.20 a Brook 10 l^hs. wide Course S.
- 40.00 Set temp^y. q^r. Sec. post, Over rolling 2.^d rate
land - timber Oak Beech Poplar &c.
- 144.50 a Brook 12 l^hs. wide Course S. W.
- 80.50 Intersected the N. & S. line at the post, Over level
2.^d rate land timber Beech Oak & Poplar-

- West Corrected between Sec^s 27 & 34.
- 40.25 Set q^r. Sec. post, at average dist. from which
a Beech 15 in. dia^r. bears S 70 W 47 l^hs. dist. &
a Sugar 18 " " " N 77 E 15 " "
80.50 to Section Corner

- North Between Sec^s. 27 & 28.
- 4.05 a Poplar 36 in. dia^r. in the line
- 30.00 a Brook 8 l^hs. wide Course W.
- 40.00 Set q^r. Sec. post, from which
a Beech 10 in. dia^r. bears S 73 W 24 l^hs. dist. &
a Beech 12 " " " S 73 E 17 " "
Over level 2.^d rate land timber Beech Oak and Poplar-
- 73.77 a Hickory 15 in. dia^r. in the line
- 80.00 Set post Cor. to Sec^s. 21 22 27 & 28, from which
a Poplar 36 in. dia^r. bear N 55 E 21 l^hs. dist. &
a Beech 12 " " " S 30 W 19 " "

Lot P 16. 2nd Mer. Indiana

ch. lks

Over level 2nd rate land timber Oak Beech & Poplar

North Between Secs. 32 & 33.

22.61 a Maple 18 in. dia. in the line

40.00 Set of. Sec. post, from which

a Beech 12 in. dia. bears N 81 W 22 lks. dist. &

a Do. 12 " " " N 70 E 5 " "

Over level 2nd rate land timber Beech Poplar & Hickory.

80.00 Set post Cor to Secs. 28 29 32 & 33, from which

a Beech 18 in. dia. bears N 27 E 24 lks. dist. &

an Ash 10 " " " S 55 W 14 " "

Over level 1st rate land timber Beech Oak Poplar
Sugar and Ash &c.

East On Random between Secs. 28 & 33.

19.50 a Brook 20 lks. wide Course N. 70 W.

40.00 Set temp. of. Sec. post, Over rolling 2nd rate
land timber Beech Oak and Poplar

80.10 Intersected the N. & S. line 10 lks. S. of post

Over level 2nd rate land timber Oak Beech Sugar &c.

West Corrected between Secs. 28 & 33.

40.05 Set of. Sec. post, from which

a Sugar 12 in. dia. bears S 1 W 18 lks. dist. &

a Do. 6 " " " S 78 W 10 " "

80.10 to Section Corner

North Between Secs. 28 & 29.

19.50 a Brook 20 lks. wide Course W.

40.00 Set of. Sec. post, from which

a Beech 8 in. dia. bears S 61 E 20 lks. dist. &

a Do. 18 " " " S 83 W 22 " "

Over rolling 2nd rate land timber Beech Oak Poplar &c.

80.00 Set post Cor. to Secs. 20, 21, 28 & 29, from which

a Beech 10 in. dia. bears N 16 E 18 lks. dist. &

a Do. 10 " " " S 15 E 17 " "

Sh. N. R. & E. 2^d. Mer. Indiana

Ch. P. Wm.

Over rolling 2^d. rate land timber Beech Oak and Poplar. January 29th 1807.

North Between Secs. 31 & 32.

25.00 an Elm 24 in. dia. in the line

33.00 a Brook 20 lks. wide Course W.

40.00 Set q. Sec. post. from which
a Beech 15 in. dia. bears N 6 W 42 lks. dist. &
a Do. 18 " " " S 14 E 8

Over level 2^d. rate land timber Beech Oak & Poplar

55.00 a Brook 20 lks. wide Course S. W.

60.90 a Beech 24 in. dia. in the line

80.00 Set post cor. to Secs. 29, 30, 31, & 32, from which
a Beech 8 in. dia. bears S 26 E 6 lks. dist. &
a Dogwood 6 " " " N 40 E 14 "

Over rolling 2^d. rate land timber Beech and Poplar

East On Prandom between Secs. 29 & 32.

40.00 Set temp. q. Sec. post. Over level 1st. rate land
timber Beech and Poplar.

80.40 Intersected the N. & S. line. 25 lks. S. of post
Over level 1st. rate timber Beech Oak Ash Poplar.

West Corrected between Secs. 29 & 32.

40.20 Set q. Sec. post at average dist. from which
a Beech 10 in. dia. bears N 34 E 16 lks. dist. &
a Do. 20 " " " S 72 W 36 " "

80 40 to Section Corner

West Between Secs. 30 & 31.

8.00 a Creek 30 lks. wide Course S.

23.65 an Ash 24 in. dia. in the line

40.00 Set q. Sec. post, from which.
a Beech 18 in. dia. bears N 29 E 26 lks. dist. &
a Do. 10 " " " S 19 E 23 " "

Over level 2^d. rate land timber Beech Oak and Poplar

424

Let Rye 2^d Mer. Indiana

ch. lks.

80.00 Intersected the W. boundary 82 lks. S. of post.
Set post Cor. to Sec. 30 & 34. from which
Hickory 8 in dia. bears S 18 E 4 lks. dist. 4
a Beech 24 " " " N 18 W 17 " "
Over level 2^d rate land timber Beech, Oak, Hickory, Poplar, &c.

North Between Sec. 29 & 30.

4.40 a Beech 20 in. dia. in the line

4.50 a Brook 10 lks. wide course W.

10.00 a Creek 30 " " " S. 20 W.

40.00 Set qf. Sec. post, from which

a Beech 18 in. dia. bears N 70 E 22 lks. dist. 4

a No. 12 " " " S 55 W 24 " "

Over level 2^d rate land timber Beech and Poplar

56.90 a W. Oak 30 in. dia. in the line

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 30 in. dia. bears S 28 W 38 lks. dist. 4

a No. 12 " " " N 60 E 8 " "

Over level 2^d rate land timber Beech Oak and Poplar

West Between Sec. 19 & 30.

3.12 a Poplar 50 in. dia. in the line

40.00 Set qf. Sec. post, from which

a Poplar 20 in. dia. bears S 7 E 40 lks. dist. 4

a Beech 20 " " " N 1 E 25 " "

Over level 1st rate land timber Beech Oak & Poplar

51.50 a Beech 48 in. dia. in the line

79.90 Intersected the W. boundary 1.47 lks. S. of post.

Set post Cor. to Sec. 19 & 30, from which

a Beech 15 in. dia. bears N 75 W 31 lks. dist. 4

a No. 30 " " " S 83 E 26 " "

Over level 1st rate land timber Beech Ash & Poplar

East On Random between Sec. 20 & 29.

40.00 Set temp. qf. Sec. post. Over level 5^d rate land
timber Beech Oak and Poplar.

T^h N. R7 E. 2^d. Mer. Indiana

425

ch. l. lks.

80. 20 Intersected the N. & S. line 10 lks. N. of post. Over level 2nd. rate land timber Beech Oak and Poplar

West Corrected between Sect. 20 & 29.

40. 10 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 18 E 18 lks. dist. &
a B. Oak 18 " " " S 76 E 18 " "

80 20 to Section Corner

East On Random between Sect. 21 & 28

40. 00 Set temp. q. Sec. post. Over level 2nd. rate land timber
Beech Oak and Poplar

73. 20 a Brook 12 lks. wide Course N. W.

80. 00 Intersected the N. & S. line, at the post
Over level 2nd. rate land timber Beech Oak and Poplar

West Corrected between Sect. 21 & 28.

40. 00 Set q. Sec. post, at average dist. from which
a Beech 15 in. dia. bears S 50 E 18 lks. dist. &
a No. 6 " " " N 79 E 5 " "

80. 00 to Section Corner. January 30th. 1807.

East On Random between Sect. 22 & 27.

11. 50 a Brook 8 lks. wide Course N. 60 W.

40. 00 Set temp. q. Sec. post. Over level 2nd. rate land timber
Beech Oak B. Gum and Poplar

80. 60 Intersected the N. & S. line 30 lks. S. of post
Over level 2nd. rate land timber Beech Oak and Poplar

West Corrected between Sect. 22 & 27.

40. 30 Set q. Sec. post at average dist. from which
a Beech 15 in. dia. bears N 15 W 14 lks. dist. &
a B. Gum 18 " " " S 13 E 39 " "

80. 60 to Section Corner

East On Random between Sect. 23 & 26.

T4N R7E.2 Mer. Indiana

ch. l. l. h.

- 40.00 Set temp. g. Sec. post. Over level 3rd rate land
timber Beech Oak and Poplar
- 79.50 Intersected the N. & S. line 15 lks. S. of post. Over level
3rd rate land timber Beech, Oak, Poplar, green, Briers, for woodth.

West Corrected between Secs. 23 & 26.

- 39.75 Set g. Sec. post, at average dist. from which
a Beech 8 in. dia. bears N 15 W 14 lks. dist. &
a No. 6 " " " N 85 E 29 " "
- 79.50 to Section Corner

East On Random between Secs. 24 & 25

- 40.00 Set temp. g. Sec. post. Over level 3rd rate land
timber Oak very thick of Brush and Briers
- 36.10 a Creek 25 lks. wide course N.
- 80.55 Intersected the E. boundary 5 lks. N. of post
Over level 3rd rate land timber Beech and Oak.

West Corrected between Secs. 24 & 25.

- 80.22 Set g. Sec. post, at average dist. from which
a B. Oak 20 in. dia. bears S 65 W 50 lks. dist. &
a B. Oak 20 " " " N 54 E 47 " "
- 80.55 to Section Corner

North Between Sections. 23 & 24.

- 40.00 Set g. Sec. post, from which
a Beech 18 in. dia. bears N 30 E 20 lks. dist. &
a Hickory 18 " " " S 8 W 13 " "
Over level 3rd rate land timber Beech Oak Hickory
thick ^{under} growth of Briers.
- 53.40 a Beech 17 in. dia. in the line
- 80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which
a Hickory 8 in. dia. bears N. 48 E 13 lks. dist. &
a Beech 4 " " " S 48 W 5 " "
Over rolling 3rd rate land timber Beech Oak
Hickory and Poplar.

Lot N7E. 2nd Mer. Indiana

427

Ch. 16th

North Between Secs. 22 & 23

25.00 a Brook 15 lks. wide Course N. & W.

38.25 a Brook 8 " " " W.

40.00 Set of Sec. post, from which
a Wash 18 in. dia. bears N 46 E 33 lks. dist. &
a Sugar 10 " " " S 50 W 33 " "

Over rolling 3rd rate land timber Beech Oak Sugar and
Poplar thick undergrowth of briars

44.73 a B. Gum 18 in. dia. in the line

80.00 Set post Cor. to Secs. 14, 15, 22 & 23, from which
a Beech 20 in. dia. bears N 36 W 12 lks. dist. &

a Maple 20 " " " S 34 E 36 " "

Over rolling 3rd rate land timber Beech Oak Poplar and
B. Gum thick undergrowth of briars -

North Between Secs. 21 & 22.

7.50 a Brook 8 lks. wide Course N. W.

28.50 a Do. 8 " " " W.

36.00 a Do. 12 " " " W.

40.00 Set of Sec. post, from which
a Beech 8 in. dia. bears N 80 E 27 lks. dist. &
a Do. 18 " " " S 67 W 28 " "

Over rolling 3rd rate land timber Beech and Oak
thick undergrowth -

53.15 a Beech 10 in. dia. in the line

75.00 a Creek 25 lks. wide course W.

80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which
a Beech 18 in. dia. bears S 87 W 28 lks. dist. &

a Do. 15 " " " N 65 E 8 " "

Over hilly 3rd rate land timber Beech Oak and poplar.

January 31st 1807

North Between Secs. 20 & 21.

9.50 a Beech 20 in. dia. in the line

39.81 a Brook 15 lks. wide course W.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bears N 71 W 2 lks. dist. &

East R7E. 2nd Mer. Indiana

Ch. lks.

- a B. Gum 18 in. dia. bears N 66 E 24 lks. dist.
 Over rolling 3rd rate land timber Beech Oak & Poplar
 69.10 a Beech 20 in. dia.
 77.50 a Brook 20 lks. wide course N. W.
 80.00 Set post Cor. to Secs. 16, 17, 20 & 21, from which
 a Sugar 15 in. dia. bears S 10 W 17 lks. dist. &
 a Beech 15 " " " N 50 W 5 " "
 Over level 2nd rate land timber Beech, Oak & Poplar

North Between Secs. 19 & 20

- 34.90 a Beech 24 in. dia. in the line
 40.00 Set q. Sec. post, from which
 a Beech 36 in. dia. bears S 35 E 8 lks. dist. &
 a No. 22 " " " West 21 " "
 Over level 2nd rate land timber Beech Oak & Poplar
 74.50 a Beech 40 in. dia. in the line
 80.00 Set post Corner to Secs. 17, 18, 19 & 20, from which
 a Beech 10 in. dia. bears N 17 W 35 lks. dist. &
 a Sugar 8 " " " S 63 E 5 " "
 Over level 2nd rate land timber Beech Oak and
 Ash & Poplar.

West Between Secs. 18 & 19.

- 40.00 Set q. Sec. post, from which
 a Beech 24 in. dia. bear S 6 W 27 lks. dist. &
 a No. 8 " " " N 7 E 10 " "
 Over level 1st rate land, timber Oak, Beech, Ash, Poplar,
 80.10 Intersected the W. boundary 1.66 lks. S. of post -
 Set post, Cor. to Secs. 18 & 19. from which
 a Maple 6 in. dia. bears S 45 E 16 lks. dist. &
 a No. 6 " " " N 23 W 36 " "
 Over Rolling 2nd rate land timber Beech
 Oak Ash and Poplar -

East On Random between Secs. 17 & 20

- 40.00 Set temp. q. Sec. post, Over level 2nd rate

Lat. R. & E. 2^d. Mer. Indiana

429

ch. lks.

Land timber Beech, Oak, Ash, and Maple, Poplar,
58.00 a Creek 20 lks. wide Course N.
75.00 a Do. 15 " " " N. W.
80.20 Intersected the N. & S. line 6 lks. N. of post.
Over rolling 2^d. rate land timber Beech Oak Ash Poplar

West Corrected between Sec. 17 & 20.
40.10 Set q. Sec. post, at average dist. from which
a Beech 30 in. dia. bears S 67 E 40 lks. dist. &
a Do. 12 " " " N 17 E 27 " "
80.20 to Section Corner

East On Rand^m. between Sec. 16 & 21
23.00 a Brook 20 lks. wide Course S. W.
40.00 Set temp. q. Sec. post
63.50 a Brook 20 lks. wide Course S. W.
80.10 Intersected the N. & S. line 12 lks. S. of post
This mile Over level bottom land, timber Beech
Oak & Poplar Feb. 1st. 1807

West On true line between Sec. 16 & 21
40.05 Set q. Sec. post, from which
an Elm 24 in. dia. bears S 65 E 8 lks. dist. &
an Ash 15 " " " N 65 W 13 " "
80.10 to Sec. Corner,

East On Rand^m. between Sec. 15 & 22
25.00 a Brook 20 lks. wide Course N.
38.50 a Do 15 " " "
40.00 Set temp. q. Sec. post
Over hilly 3^d. rate land Beech, Oak & Poplar
80.50 Intersected the N. & S. line 30 lks. S. of post
Over level 2^d. rate land, Beech, Oak & Poplar

West Corrected between Sec. 15 & 22
40.25 Set q. Sec. post, at average dist. from which

Set R & E. 2^d Mer. Indiana

431

ch. 2^d M.

- 45.50 a Creek 30 lks. wide Course W.
 80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 15 in. dia. bray S 18° W 14 lks. dist. of
 a Do. 15 " " " N 24° W 11 " "
 Over level 2^d rate land Beech, Ash & Poplar

East On Rand^m. between Sec. 12 & 13

- 11.00 a Brook 10 lks. wide Course S.E.
 40.00 Set q^r. Sec. post, temporarily
 Level 2^d rate land Ash, Beech & Poplar
 53.25 a Brook 8 lks. wide Course S.
 80.64 Intersected the E. boundary 85 lks. S. of post
 Over level 2^d rate land, Beech, Ash & Poplar

West On true line between Sec. 12 & 13

- 40.32 Set q^r. Sec. post at average dist. from which
 a P. Gum 9 in. dia. bray S 72° W 3 lks. dist. of
 a Hickory 4 " " " N 71° E 3 " "
 80.64 to Sec. Corner

North Between Sec. 14 & 15

- 7.55 a Beech 15 in. dia. in the line
 40.00 Set q^r. Sec. post, from which
 a Beech 5 in. dia. bray N 2° E 10 lks. dist. of
 a W. Oak 15 " " " S 43° W 18 " "
 Over rolling 3^d rate land, timber Oak & Poplar
 64.80 a P. Oak 15 in. dia. in the line
 77.50 a Creek 30 lks. wide Course W.
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 6 in. dia. bray N 51° W 4 lks. dist. of
 a Do 8 " " " S 23° W 20 " "
 Over rolling 3^d rate land, Beech, Oak & Hickory

North Between Sec. 15 & 16

- 1.10 a Brook 6 lks. wide Course W.
 33.05 a Poplar 22 in. diam.

T4N R7E 2nd Mer. Indiana

ch. lks

40.00 Set of Sec. post, from which
a Beech 8 in. diam. bray N 35 W 5 lks. dist. of
a Co. 12 " " " S 7 E 20 " "
This half mile over level 2nd rate land
timber Beech, Ash & Poplar

70.50 a Beech 18 in. diam. in the line

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 6 in. diam. bray S 65 E 4 lks. dist. of
a Co. 15 " " " S 70 W 8 " "
This 1/2 mile is over level 2nd rate land
timber Beech, Oak & Poplar

North Between Sec. 16 & 17

36.50 a Brook 10 lks. wide Course W.

40.00 Set of Sec. post, from which
a Beech 6 in. diam. bray N 34 E 23 lks. dist. of
a Co. 7 " " " S 47 W 11 " "
Over level 2nd rate land, timber Beech,
Oak & Poplar, thick undergth of briars

55.00 a Water Course 10 lks. wide Course W.

68.50 a W. Oak 20 in. diam.

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Gum 10 in. diam. bray N 45 E 3 1/2 lks. dist. of
an Ash 10 " " " S 80 W 2 " "
Over level 2nd rate, timber Beech, Oak & Poplar

North Between Sec. 17 & 18

30.60 a Beech 20 in. diam.

40.00 Set of Sec. post from which
a W. Oak 61 in. diam. bray N 48 W 26 lks. dist. of
a B. Gum 10 " " " S 62 E 6 " "
Over low flat 3rd rate land Beech, Gum & Oak

64.68 a W. Oak 40 in. diam.

69.50 a Creek 30 lks. wide Course N.W.

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a W. Oak 50 in. diam. bray N 13 W 19 lks. dist. of

433

S. N. R. E. 2nd Mer. Indiana

Ch. P. Lhs.

a Beech 24 in. dia. bray S 33 E 28 lks. dist. of
Over low flat 3rd rate land, timber Beech, Oak
an Elm

Nest Between Sec. 7 & 18

2.00 a Creek 30 lks. wide Course N.W.

26.65 a W. Oak 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 8 in. dia. bray N 39 W 6 lks. dist. of
a W. Oak 20 " " " S 28 E 6 " "
Over level 2nd rate land Beech & Oak

51.00 a W. Oak 30 in. dia.

69.50 a creek 85 lks. wide Course S.

80.25 intersected N. boundary 26 3/4 lks. S. of post
Set post cor. to Sec. 7 & 18, from which
a Beech 8 in. dia. bray S 30 W 4 lks. dist. of
a Do. 10 " " " N 87 E 11 " "
Over low flat 3rd rate land, Beech, Oak & Poplar.

East On Rand. between Sec. 8 & 17

40.00 Set temporary of Sec. post

Level 2nd rate land Beech, Oak & Poplar

79.80 intersected the N & S. line 8 lks. N. of post
Level 2nd rate land Beech, Oak & Poplar

Nest Connected between Sec. 8 & 17

39.90 Set of Sec. post at average dist. from which
a Beech 6 in. dia. bray S 21 E 17 lks. dist. of
an Elm 15 " " " N 56 E 9 " "

79.80 to Sec. Corner.

East On Rand. between Sec. 9 & 16

24.00 a Brook 8 lks. wide Course N.

40.00 Set temporary of Sec. post

Level 2nd rate land, Oak, Beech & Poplar

64.00 a Brook 12 lks. wide Course N.W.

434

T. N. R. E. 2nd. Mer. Indiana

ch. 1/2

80.00 Intersected the N of S. line 20 lrs. S. of post
Over rolling 2nd rate land, timber Beech, Oak
& Poplar thick undergrowth of briars. Feb. 3rd. 1807

West Corrected between Sec. 9 & 16

40.00 Set of Sec. post at average dist. from which
a Beech 20 m. dist. bears N 39 W 6 lrs. dist. of
a Do. 10 " " " N 63 E 31 " "

80.00 to Sec. Corner.

East On Randm. between Sec. 10 & 15

28.00 a Brook 10 lrs. wide Course N.

40.00 Set temp. of Sec. post

Rolling 2nd rate land timber Oak, Beech
and Hickory

73.20 a Creek 30 lrs. wide Course N 65 W

80.44 Intersected the N of S. line 10 lrs. S. of post
Rolling 2nd rate land, timber Beech, Oak
and Poplar.

West On true line between Sec. 10 & 15

40.22 Set of Sec. post at average dist. from which
a Beech 20 m. dist. bears N 39 W 26 lrs. dist. of
a Do. 8 " " " N 69 E 9 " "

80.44 to Sec. Corner

East On Randm. between Sec. 11 & 14

40.00 Set temp. of Sec. post

Rolling 2nd rate land Beech, Oak & Poplar

79.80 Intersected the N of S. line 45 lrs. S. of post
Level 2nd rate land Beech, Oak & Poplar

West Corrected between Sec. 11 & 14

39.90 Set of Sec. post at average dist. from which
a Beech 20 m. dist. bears N 49 E 4 lrs. dist. of
a Do. 5 " " " N 74 W 20 " "

435

T4N R7E 2nd Mer. Indiana

ch. P. lks.

79.80 to Sec. Corner

North Between Sec. 11 & 12

20.10 a Beech 30 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 24 in. dia. bears N 72 E 3 lks. dist. &
a No. 12 " " " N 67 W 26 " "

Rolling 2nd rate land Beech, Poplar & Sugar tree

47.75 a Brook 8 lks wide course S. E.

58.75 a Beech 15 in. dia. in the line

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 7 in. dia. bears S 53 E 18 lks. dist. &
a No. 8 " " " S 27 W 12 " "
Over level 2nd rate land timber Beech, Ash, Poplar, Sugar,

East On Prandom between Sec. 1 & 12.

30.01 a Brook 10 lks. wide course N.

40.00 Set temp^y. q^r. Sec. post, Over level 2nd rate land
timber Beech and Poplar -

40.15 a Brook 15 lks. wide Course N. W.

80.36 Intersected the E. boundary 1.80 lks. S. of post.
Over level 2nd rate land timber beech and Poplar

West Corrected between Sec. 1 & 12.

40.16 Set q^r. Sec. post, at average dist. from which
a Beech 6 in. dia. bears S 30 W 15 lks. dist. &
a No. 6 " " " N 3 E 17 " "

80.36 to Section Corner

North Between Sec. 10 & 11.

40.00 Set q^r. Sec. post, from which
a Beech 18 in. dia. bears S 22 E 31 lks. dist. &
a No. 24 " " " N 85 W 27 " "

Over level 2nd rate land timber Beech, Oak, and Poplar,

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 8 in. dia. bears S 31 W 18 lks. dist. &

Lot N 127 E. 2.nd Mer. Indiana

Ch. lks.

a Beech 18 in. dia. bears N 52 E 35 lks. dist.
This mile is over level 2.nd rate land timber
Oak Beech and Poplar—

North Between Secs. 9 & 10.

11.50 a Beech 20 in. dia. in the line

23.50 a Creek 30 lks. wide Course West.

40.00 Set q. Sec. post. from which
a Beech 24 in. dia. bears S 7 W 37 lks. dist. &
a Do. 8 " " " N 55 W 9 " "

This 1/2 mile over rolling land 2.nd rate Soil timber
Beech and Poplar

40.85 a Brook 6 lks. wide Course W.

51.20 a W. Oak 60 in. dia. in the line

80.00 Set post Cor. to Secs. 3, 4, 9 & 10. from which
a Beech 12 in. dia. bears S 5 E 4 lks. dist.
and no more trees— This 1/2 mile over level
2.nd rate land timber as above. February 5th 1807.

North Between Secs. 8 & 9.

38.50 a Creek 33 lks. wide Course W.

40.00 Set q. Sec. post. from which
a Beech 24 in. dia. bears N 43 E 15 lks. dist. &
a Do. 6 " " " S 29 E 5 " "

Over rolling 2.nd rate land timber Beech, Oak, & Poplar.

44.35 a Beech 12 in. dia. in the line

80.00 Set post Cor. to Secs. 4, 5, 8 & 9. from which
a Dogwood 5 in. dia. bears S 3 E 10 lks. dist. &
a Beech 8 " " " N 37 W 13 " "
Over level flat 3.rd rate land timber, Oak, & Beech,

North Between Secs. 7 & 8.

20.55 a W. Oak 36 in. dia. in the line

30.50 a Brook 35 lks. wide Course W.

40.00 Set q. Sec. post. from which
a Beech 12 in. dia. bears S 4 E 44 lks. dist. &

437

T4C R7E, 2nd Mer. Indiana

Ch. Lhs

- a Beech 10 in. dia. bears S 77 W 17 lbs. dist.
 This 1/2 mile is Over level flat land 3rd rate Soil
 timber Beech & Oak—
- 70.00 a Creek 1.00 lbs. wide Course S. E.
- 71.50 a Beech 10 in. dia. in the line
- 80.00 Set post Cor to Sect. 5, 6, 7, & 8, from which
 a Beech 15 in. dia. bears N 62 E 29 lbs. dist. &
 a No. 8 " " " S 65 W 25 "
 Over level 2nd rate land timber Beech Oak & Poplar

- West Between Sect. 6 & 7 ^{course}
- 22.00 a Creek 50 lbs. wide, S. W.
- 40.00 Set q. Sec. post, from which
 a Hackberry 6 in. dia. bears N 30 E 21 lbs. dist. &
 a No. 8 " " " N 80 W 21 "
 This 1/2 mile is Over level land—timber Beech, Ash,
 Black Walnut and Poplar
- 48.10 a Beech 36 in. dia. in the line
- 55.00 a Brook 65 lbs. wide Course N.
- 64.00 a No. 65 " " " S. W.
- 79.56 Intersected the W. boundary 3.42, lbs. S. of post.
 Set post Cor to Sect. 6 & 7, from which
 a Beech 24 in. dia. bears N 6 W 6 lbs. dist. &
 a Hickory 15 " " " S 64 W 27 " "
 This 1/2 mile is Over level 3rd rate land—timber
 Beech Sycamore & Elm—

- North Between Sect. 5 & 6,
- 22.50 a Brook 50 lbs. wide Course S. W.
- 40.00 Set, q. Sec. post, from which
 a Beech 6 in. dia. bears N 49 W 39 lbs. dist. &
 a No. 20 " " " S 68 W 20 " "
 This 1/2 mile is Over level land 2nd rate Soil.
 timber Beech & Poplar
- 60.00 a Beech 16 in. dia. in the line
- 84.60 Intersected the N. boundary 2.12, lbs. W. of post.

438

T4 N R7 E. 2^d Mer. Ind.^a

Ch. lks.

Set post Cor. to Sect. 5. & 6. from which
 a Beech 5 in. dia. bears S 43 E 21 lks. dist. &
 a No. 6 " " " N 70 W 9 " "
 Over level 2^d rate land - timber as above -

East On Random between Sect. 5 & 8.

10.00 a Creech 1.00 lks. wide course S. 15 W.

40.00 Set temp. q. Sec. post, Over level 3^d rate land
 timber Beech Poplar and Elm

80.00 Intersected the N. & S. line 5 lks. South of post
 This 1/2 mile is over level 2^d rate land timber
 Beech & Poplar -

West Corrected between Sect. 5 & 8.

40.00 Set q. Sec. post, at average dist. from which
 a Beech 30 in. dia. bears N 67 E 25 lks. dist. &
 a No. 15 " " " N 78 W 6 " "

80.00 to Section Corner. February 9th 1807.

East On Random between Sect. 4 & 9.

40.00 Set temp. q. Sec. post, Over level 2^d rate land
 timber Beech Oak & Poplar -

80.20 Intersected the N. & S. line 15 lks. South of post
 Over rolling land 2^d rate Soil timber Beech
 Oak and Poplar -

West Corrected between Sect. 4 & 9.

40.10 Set q. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears N 19 W. 18 lks. dist. &
 a No. 12 " " " S 66 W 16 " "

80.20 to Section Corner.

East On Random between Sect. 3 & 10.

40.00 Set temp. q. Sec. post, this 1/2 mile Over level
 3^d rate land timber Beech & Poplar

79.90 a Brook 6 lks. wide course N.

T4 N R7 E. 2^d Mer. Indiana

439

ch. lks

80.60 Intersected the N. & S. line 10 lks. S. of post.
Over level 2^d rate land timber Beech & Poplar

West Corrected between Sec. 3 & 10.

40.30 Set qf. Sec. post. at average dist. from which
a Beech 8 in. dia. bears S 18 E 12 lks. dist. &
a No. 5 " " " N 32 W 22 " "

80.60 to Section Corner

East On Random between Sec. 2 & 11

40.00 Set temp. qf. Sec. post. Over level 2^d rate land
timber Beech Oak & Poplar

63.00 a Brook 18 lks. dist. course North.

79.75 Intersected the N. & S. line 50 lks. South of post
Over level 2^d rate land timber Beech & Poplar

West Corrected between Sec. 2 & 11

39.97 Set qf. Sec. post. at average dist. from which
a Beech 15 in. dia. bears S 66 W 18 lks. dist. &
a No. 10 " " " N 39 E 22 " "

79.75 to Section Corner.

North Between Sec. 1 & 2.

26.70 a Beech 18 in. dia. in the line

40.00 Set qf. Sec. post. from which

a Beech 30 in. dia. bears N 33 E 8 lks. dist. &

a No. 15 " " " N 75 E 17 " "

Over level flat 2^d rate land timber Beech Oak Sugar

43.25 a Creek 80 lks. wide Course West

53.57 a Sycamore 60 in. dia. in the line

82.60 Intersected the N. boundary 1.34 lks. W. of post

Set post Cor. to Sec. 1 & 2, from which

a Sugar 30 in. dia. bears N 25 W 16 lks. dist. &

a Beech 6 " " " S 58 W 16 " "

Over rolling 1st rate land timber Beech Ash & Sugar-

Let R & E. 2^d Mer. Indiana

Ch. L. L. L.

North Between Secs. 2 & 3.

13.00 a Beech 15 in. dia. in the line -

32.50 a Brook 10 lks. wide Course N 20 W.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bears N 23 E 16 lks. dist. &
a No. 6 " " " S 8 E 27 " "

Over rolling 2^d rate land

53.50 a Sugar 18 in dia. in the line

78.60 a Creek 90 lks. wide Course West

82.85 Intersected the N. boundary 2.06 lks. W. of post
Set post Cor. to Secs. 2 & 3, from which

a Buckeye 12 in. dia. bears S 8 E 29 lks. dist. &

a Sugartree 12 " " " S 35 E 53 " "

Over level 2^d rate land timber Beech Poplar Sugar &c.

North Between Secs. 3 & 4.

13.50 a Brook 8 lks. wide Course N. W.

28.40 a No. 10 " " " W.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bears N 32 W 27 lks. dist. &

a Sugar 20 " " " S 42 E 16 " "

This 1/2 mile is rolling 2^d rate land timber Beech
Poplar Sugartree &c.

50.35 a Beech 15 in. dia. in the line

60.00 a Brook 1.00 lks. wide Course W.

83.80 Intersected the N. boundary 2.42 lks. W. of post

Set a post Cor. to Secs. 3 & 4, from which

an Ash 20 in. dia. bears N 18 W 7 lks. dist. &

a No. 12 " " " S 56 E 17 " "

Over level 1st rate land timber Beech, Oak, Poplar, Sugar &c.

North Between Secs. 4 & 5.

12.65 a Beech 24 in. dia. in the line

35.60 a Creek 95 lks. wide Course S. W.

40.00 Set of Sec. post, from which

a Sycamore 60 in. dia. bears West 3 lks. dist. &

441

T4 N R7 E. 2^d Mer. Indiana
ch. lks.

a Maple 15 in. dia. bears S 79 W 27 lks. dist. 4
This 1/2 mile over level 2^d rate land - timber - Beech,
Oak, and, Poplar,

81. 00 a Beech 20 in. dia. in the line

84. 34 Intersected the N. boundary 1.40 lks. N. of post

Set post Cor. to Sec. 4 & 5. from which

a Beech 30 in. dia. bears N 74 E 19 lks. dist. 4

a Do. 14 " " " S 63 W 6 " "

Over level 2^d rate land - timber - Beech, and, Poplar -

Surveyed By

Alexander Enos, D. S.

I certify that the foregoing transcript of field
Notes of township T. 4 N. Range N. 7 East
2^d Mer. Indiana, has been Comp^d with the
Original Notes in this Office, and found to be
Correct.

Surveyor General's Office

Cincinnati, Sept. 14th 1842 William Johnston
Sur. Genl.

Comp^d